
## Antibiotic use: Comparison to European countries

## International comparison of antimicrobial use in European countries and Japan (2018)



- OThe data are calculated from claims registered in the NDB.
  - The data do not always reflect the precise antibiotic use because the data of patients who receive publicly funded health care are not always included. The numerical values are different from those of the surveillance of antibiotic sales (<a href="http://amrcrc.ncgm.go.jp/surveillance/020/20190902163931.html">http://amrcrc.ncgm.go.jp/surveillance/020/20190902163931.html</a>) due to the different data source.
- OThe figures indicate drug utilization standardized by defined daily dose (DDD) per population and drug, called DID (DDDs/1,000 inhabitants/day) (Reference: <a href="https://www.whocc.no/atc ddd index/">https://www.whocc.no/atc ddd index/</a>).
  The DDD is according to data published on January 1, 2019.
- OThe population is according to estimates published by the Statistics Bureau, Ministry of Internal Affairs and Communications, Japan. (https://www.stat.go.jp/data/jinsui/)
- OThe AWaRe Classification is a tool for antimicrobial stewardship recommended by the WHO.

  (Reference: : <a href="https://adoptaware.org/">https://adoptaware.org/</a>; related tables: <a href="https://amrcrc.ncgm.go.jp/surveillance/020/AWaRe bunrui 2019 ver5.pdf">http://amrcrc.ncgm.go.jp/surveillance/020/AWaRe bunrui 2019 ver5.pdf</a>)
- OPlease see this PDF (<a href="http://amr.ncgm.go.jp/pdf/190903">http://amr.ncgm.go.jp/pdf/190903</a> glossary.pdf) for definitions of terminology related to the surveillance of antibiotics.

## **ONotes**

• The categories of antibiotics in the data are classified according to the WHO ATC3 Level as in the Antimicrobial consumption - Annual Epidemiological Report for 2018.

See <a href="https://www.whocc.no/atc ddd index/">https://www.whocc.no/atc ddd index/</a> for more information about ATC classifications.

- (%) The data were surveyed in accordance with the study below.
- Research grant from the Ministry of Health, Labour and Welfare of Japan (20HA2003).
   Research on the implementation of the AMR Action Plan (Chief Norio Ohmagari)